








Less is definitely more.


With unrivalled looks and thermal performance, the ETA Flat Rooflight is the ultimate glazed flat rooflight designed to throw maximum light into any home.

The Flat Rooflight brings stylish ambience to a home and its minimalistic roof frame ensures that it suits any style property.

Thanks to the Flat Rooflight's unique structural design, it is not only the best looking flat rooflight but one of the best double glazed thermal performing flat rooflight on the market.








Maximum Light

The unique aluminium external and internal capping and bespoke structural PVCu internal core make the ETA Flat Rooflight the ultimate glazed flat rooflight.

Sitting flush with the internal plaster line, the fixed flat rooflight appears frameless from the interior of the home, creating the illusion of an open roof space.

Ultimate Performance

Thermal performance is at the forefront of homeowners minds. With an unrivalled double glazing overall U Value (roof and glass) of 1.3 w/m²k the this Flat Rooflight outperforms many of its rivals.



Minimal Sightlines

The minimalistic contemporary external design with flush glazing gives a sleek, modern appearance and is a stunning addition to any home extension.





Colour Options

Perhaps the most significant benefit for aluminium when compared with PVCu is the vast colour choice. Aluminium can be coated in any RAL colour using the most up-to-date powder coating processes. This ensures a much tougher finish than conventional spray painting used on timber or PVCu, whilst all powder coated components are colour guaranteed for ten years.

Available in white, grey, black, grey on white and black on white as well as special RAL colours.

Available colours:





Low Maintenance


The Flat Rooflight come with Active Neutral self-cleaning glass as standard, helping you to keep your Flat Rooflight looking cleaner for longer. Solar control and low-e coatings along with an argon gas-filled cavity controls the amount of visible light, UV and heat that passes through the glass.



Self-cleaning glass

Standard glass

TECHNICAL SPECIFICATION



Why choose the ETA Flat Rooflight?

- Unrivalled design aesthetics
- Market leading thermal performance
- Wide choice of colours: white, grey, black or dual colours - grey outside, white inside or black outside, white inside
- Special RAL colours available
- 10 year seal and easy clean coating warranty as standard
- Low e insulated toughened double glazed as standard
- Low maintenance, solar control glass options available
- Insulated kerb upstand available

FLAT ROOFLIGHT



www.exetertradealuminium.co.uk